



► Tolerance

D		Shank Dia
All Sizes	0 ~ -0.02	h5



EDP No		DC	APMX	LU	OAL	DCONMS
Uncoated	Coated					
AWE313 01002	AWE313 01002C	1.0	2	7	40	6
AWE313 01003	AWE313 01003C	1.0	3	8	50	6
AWE313 01004	AWE313 01004C	1.0	4	9	60	6
AWE313 01006	AWE313 01006C	1.0	6	11	60	6
AWE313 01204	AWE313 01204C	1.2	4	9	50	6
AWE313 01503	AWE313 01503C	1.5	3	8	45	6
AWE313 01504	AWE313 01504C	1.5	4	9	45	6
AWE313 01505	AWE313 01505C	1.5	5	10	50	6
AWE313 01506	AWE313 01506C	1.5	6	11	60	6
AWE313 01508	AWE313 01508C	1.5	8	13	60	6
AWE313 01510	AWE313 01510C	1.5	10	15	60	6
AWE313 02003	AWE313 02003C	2.0	3	8	45	6
AWE313 02006	AWE313 02006C	2.0	6	11	50	6
AWE313 02008	AWE313 02008C	2.0	8	13	60	6
AWE313 02010	AWE313 02010C	2.0	10	15	60	6
AWE313 02012	AWE313 02012C	2.0	12	17	60	6
AWE313 02504	AWE313 02504C	2.5	4	9	45	6
AWE313 02508	AWE313 02508C	2.5	8	13	50	6
AWE313 02510	AWE313 02510C	2.5	10	15	55	6
AWE313 02512	AWE313 02512C	2.5	12	17	60	6
AWE313 03004	AWE313 03004C	3	4	9	45	6
AWE313 03008	AWE313 03008C	3	8	13	50	6
AWE313 03012	AWE313 03012C	3	12	17	55	6
AWE313 03015	AWE313 03015C	3	15	20	65	6
AWE313 03512	AWE313 03512C	3.5	12	17	55	6
AWE313 04006	AWE313 04006C	4	6	11	45	6

※ Coated products are made to order

► Applicable working material

○ : GOOD ◎ : EXCELLENT

H		P			K	N			M	S
Hardened steel		Carbon Steel	Alloy Steel	Prehardened Steel	Cast Iron	Copper	Graphite	Aluminum	Stainless Steel	Heat Resistant Alloy
SKD61 ~HRC55	SKD11 HRC55~	~HB225	HB225~325	HRc30~50	~FCD500					
						○		◎		

EDP No		DC	APMX	LU	OAL	DCONMS
Uncoated	Coated					
AWE313 04008	AWE313 04008C	4	8	13	50	6
AWE313 04011	AWE313 04011C	4	11	16	50	6
AWE313 04014	AWE313 04014C	4	14	19	55	6
AWE313 04016	AWE313 04016C	4	16	21	65	6
AWE313 04020	AWE313 04020C	4	20	25	70	6
AWE313 04515	AWE313 04515C	4.5	15	20	55	6
AWE313 05006	AWE313 05006C	5	6	11	45	6
AWE313 05017	AWE313 05017C	5	17	22	55	6
AWE313 05022	AWE313 05022C	5	22	27	60	6
AWE313 05026	AWE313 05026C	5	26	31	70	6
AWE313 05517	AWE313 05517C	5.5	17	22	55	6
AWE313 06007	AWE313 06007C	6	7	14	50	6
AWE313 06013	AWE313 06013C	6	13	20	55	6
AWE313 06017	AWE313 06017C	6	17	24	60	6
AWE313 06022	AWE313 06022C	6	22	29	60	6
AWE313 06026	AWE313 06026C	6	26	33	70	6
AWE313 06031	AWE313 06031C	6	31	38	75	6
AWE313 07023	AWE313 07023C	7	23	30	65	8
AWE313 08012	AWE313 08012C	8	12	19	60	8
AWE313 08020	AWE313 08020C	8	20	27	60	8
AWE313 08023	AWE313 08023C	8	23	30	70	8
AWE313 08029	AWE313 08029C	8	29	36	80	8
AWE313 08031	AWE313 08031C	8	31	38	80	8
AWE313 08036	AWE313 08036C	8	36	43	85	8
AWE313 09028	AWE313 09028C	9	28	35	70	10
AWE313 10012	AWE313 10012C	10	12	20	65	10
AWE313 10015	AWE313 10015C	10	15	23	65	10
AWE313 10023	AWE313 10023C	10	23	31	65	10
AWE313 10028	AWE313 10028C	10	28	36	75	10
AWE313 10033	AWE313 10033C	10	33	41	90	10
AWE313 10036	AWE313 10036C	10	36	44	90	10
AWE313 10041	AWE313 10041C	10	41	49	90	10
AWE313 10046	AWE313 10046C	10	46	54	100	10
AWE313 10051	AWE313 10051C	10	51	59	100	10
AWE313 11030	AWE313 11030C	11	30	38	80	12
AWE313 12014	AWE313 12014C	12	14	24	70	12
AWE313 12027	AWE313 12027C	12	27	37	75	12
AWE313 12033	AWE313 12033C	12	33	43	80	12
AWE313 12041	AWE313 12041C	12	41	51	95	12
AWE313 12046	AWE313 12046C	12	46	56	100	12
AWE313 12051	AWE313 12051C	12	51	61	100	12
AWE313 12056	AWE313 12056C	12	56	66	110	12

※ Coated products are made to order

► Applicable working material

○ : GOOD ◎ : EXCELLENT

H		P			K	N			M	S
Hardened steel		Carbon Steel	Alloy Steel	Prehardened Steel	Cast Iron	Copper	Graphite	Aluminum	Stainless Steel	Heat Resistant Alloy
SKD61 ~HRC55	SKD11 HRC55~	~HB225	HB225~325	HRc30~50	~FCD500					
						○		◎		

EDP No		DC	APMX	LU	OAL	DCONMS
Uncoated	Coated					
AWE313 12061	AWE313 12061C	12	61	71	110	12
AWE313 13035	AWE313 13035C	13	35	45	85	14
AWE313 14038S14	AWE313 14038S14C	14	38	48	90	14
AWE313 14038	AWE313 14038C	14	38	48	90	16
AWE313 15040	AWE313 15040C	15	40	50	90	16
AWE313 16019	AWE313 16019C	16	19	29	90	16
AWE313 16033	AWE313 16033C	16	33	43	90	16
AWE313 16045	AWE313 16045C	16	45	55	100	16
AWE313 16053	AWE313 16053C	16	53	63	105	16
AWE313 16056	AWE313 16056C	16	56	66	110	16
AWE313 16066	AWE313 16066C	16	66	76	130	16
AWE313 16076	AWE313 16076C	16	76	86	150	16
AWE313 18049	AWE313 18049C	18	49	59	100	18
AWE313 20023	AWE313 20023C	20	23	33	90	20
AWE313 20039	AWE313 20039C	20	39	49	95	20
AWE313 20050	AWE313 20050C	20	50	60	105	20
AWE313 20055	AWE313 20055C	20	55	65	110	20
AWE313 20060	AWE313 20060C	20	60	70	120	20
AWE313 20065	AWE313 20065C	20	65	75	130	20
AWE313 20070	AWE313 20070C	20	70	80	130	20
AWE313 20076	AWE313 20076C	20	76	86	150	20

※ Coated products are made to order

► Applicable working material

○ : GOOD ◎ : EXCELLENT

H		P			K	N			M	S
Hardened steel		Carbon Steel	Alloy Steel	Prehardened Steel	Cast Iron	Copper	Graphite	Aluminum	Stainless Steel	Heat Resistant Alloy
SKD61 ~HRC55	SKD11 HRC55~	~HB225	HB225~325	HRC30~50	~FCD500					
						○		◎		